Docket No. 1625-118

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Currently amended) An electromagnetic reciprocal drive mechanism having:
 a permanent magnet cluster with plate_like permanent magnets cylindrically
 arranged;

 a support for concentrically supporting said permanent magnets.
 - a support for concentrically supporting said permanent magnet cluster in such a manner that said support is flush with said cluster.
 - a laminated core provided adjacent to said permanent magnet cluster, and an electromagnetic coil wound around said laminated core;

wherein a sheet having an adhesive layer on an inner surface and which can be impregnated with an adhesive is wrapped around an outer periphery of said permanent magnet cluster and said support, and said permanent magnet cluster is <u>integrally</u> secured to said support by impregnating an adhesive into said sheet and solidifying.

- 2. (Original) An electromagnetic reciprocal drive mechanism according to claim 1, wherein a material of said sheet is paper.
- 3. (Original) An electromagnetic reciprocal drive mechanism according to claim 1,
 wherein a plurality of small holes are formed in said sheet and adhesive layer.
- 4. (Original) An electromagnetic reciprocal drive mechanism according to claim 2,
 wherein a plurality of small holes are formed in said sheet and adhesive layer.

(WP135208;1)

5

6 7

8

9

10 11

Docket No. 1625-118

- 5. (Currently amended) An electromagnetic reciprocal drive mechanism
 according to claim 1, wherein said support comprises a base end support member for
 concentrically supporting a base end of said permanent magnet cluster in such a manner
 that said base end support member is flush with said cluster.
- 6. (Currently amended) An electromagnetic reciprocal drive mechanism
 according to claim 2, wherein said support comprises a base end support member for
 concentrically supporting a base end of said permanent magnet cluster in such a manner
 that said base end support member is flush with said cluster.
 - 7. (Currently amended) An electromagnetic reciprocal drive mechanism according to claim 5, wherein said support further comprises a tip end support member for concentrically supporting a tip end of said permanent magnet cluster in such a manner that said tip end support member is flush with said cluster.
 - 8. (Currently amended) An electromagnetic reciprocal drive mechanism according to claim 6, wherein said support further comprises a tip end support member for concentrically supporting a tip end of said permanent magnet cluster in such a manner that said tip end support member is flush with said cluster.
- 9. (Currently amended) A movable part for an electromagnetic reciprocal drive mechanism comprising:

 a permanent magnet cluster with plots like parameters at the comprising.
 - a permanent magnet cluster with plate like permanent magnets cylindrically $arranged_7$:
 - a support for concentrically supporting said permanent magnet cluster <u>in such a manner that said support</u> is flush with said cluster; :
 - wherein a sheet having an adhesive layer on an inner surface and which can be impregnated with an adhesive is wrapped around an outer periphery of said permanent magnet cluster and said support, and said permanent magnet cluster is <u>integrally</u> secured to said support by impregnating an adhesive into said sheet and solidifying.

(WP135208;1)

1

2

3

4

1

2

3

4

4

5

6 7

8

9

10

Docket No. 1625-118

- 1 10. (Original) A movable part for an electromagnetic reciprocal drive mechanism according to claim 9, wherein a material of said sheet is paper.
- 1 11. (Original) A movable part for an electromagnetic reciprocal drive mechanism according to claim 9, wherein a plurality of small holes are formed in said sheet and adhesive layer.
- 1 12. (Original) A movable part for an electromagnetic reciprocal drive mechanism according to claim 10, wherein a plurality of small holes are formed in said sheet and adhesive layer.
- 1 13. (Currently amended) A movable part for an electromagnetic reciprocal drive mechanism according to claim 9, wherein said support comprises a base end support member for concentrically supporting a base end of said permanent magnet cluster in such a manner that said base end support member is flush with said cluster, and a tip end support member for concentrically supporting a tip end of said permanent magnet cluster in such a manner that said tip end support member is flush with said cluster.
 - 14. (Currently amended)A movable part for an electromagnetic reciprocal drive mechanism according to claim 10, wherein said support comprises a base end support member for concentrically supporting a base end of said permanent magnet cluster in such a manner that said base end support member is flush with said cluster, and a tip end support member for concentrically supporting a tip end of said permanent magnet cluster in such a manner that said tip end support member is flush with said cluster.
- 1 15. (New) An electromagnetic reciprocal drive mechanism according to claim 1, wherein a material of said sheet is paper made of pulp.

1

2

3

4

5

6

Docket No. 1625-118

- 16. (New) An electromagnetic reciprocal drive mechanism according to claim 9, 1 2
 - wherein a material of said sheet is paper made of pulp.